

## UC2102-100, 3 LITRES



- ▶ Designed mainly for industries handling pharmaceutical and food products.
- ▶ All materials in contact with the conveyed product fulfil the requirements of GMP, FDA, USDA and 3-A.
- ▶ Turnkey conveyor that is easy to install and start up.
- ▶ Fully pneumatic.
- ▶ Hygienic butterfly valve.
- ▶ Compliant with ATEX (option).
- ▶ Unibody with tri-clamp connection.

### TECHNICAL DATA

Description	Unit	Value
Feed pressure, max.	MPa	0.7
Feed pressure range	MPa	0.4-0.6
Vacuum range	-kPa	61-75
Noise level range	dB(A)	72-76
Material		ASTM 316L, (EPDM/Q*)
Temperature range	°C	0-60
Safety classification control unit		IP54
Min. particle size	µm	0.5

\* Depends on material choice.

### TECHNICAL DATA SPECIFIC

Description	Air consumption range, NI/s	Weight, kg	Material batch volume, l
UC2102-100, 3 litres	5-7	35	3

### TECHNICAL DATA FILTER

Description	Filter area, m <sup>2</sup>	Material
Rod filter Gore Sinbran	0.11	PTFE, PE
Pleated filter	0.30	PTFE, Polyester, PUR, EN1.4571

### CAPACITY

Capacity ton/h at different conveying distances		
5 m	10 m	20 m
0.90	0.45	0.18

## ORDERING INFORMATION

1. Series	Code
21	21
2. Classification	Code
None	AA
ATEX	AB
3.1 B Certificate	AC
3.1 B Certificate ATEX	AD
2.2 Certificate	AE
2.2 Certificate ATEX	AF
3. Sealing material	Code
Ethylene Propylene (EPDM)	00
Silicone (Q)	01
4. Pump unit	Code
No pump	AA
Pump unit Maxi L100	AB
5. Filter type	Code
No filter	00
Rod filter Gore Sinbran 2102	01
Rod filter Gore Sinbran Antistat 2102	05
Pleated filter 2102	09
6. Filter shock module	Code
Filter shock module UC21 internal	AA
7. Connection module	Code
Connection module UC2102 3l with brackets	00
8. Inlet equipment	Code
No inlet equipment	AA
Inlet butterfly valve unit 2", actuator in SS, sealing in EPDM	AB
Inlet butterfly valve unit 2", actuator in SS, sealing in Q	AC
9. Bottom valve unit	Code
No bottom valve	00
Bottom butterfly valve unit DN150, actuator in al, sealing in EPDM	01
Bottom butterfly valve unit DN150, actuator in al, sealing in Q	02
10. Control unit	Code
No control unit	AA
Control unit CU 1B	AB
Control unit CU 2B	AC
Control unit VU-EP	AD
Example	Code
UC2102-100 with EPDM sealings, Gore Sinbran antistatic filter and 3 l internal volume incl. 3.1 B and ATEX	UC21.AD.00.AB.05.AA.00.AA.01.AB

